L Number	Hits	Search Text	DB	Time stamp
4	0	assign$ with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
5	0	assign$ with "product code" same "unindentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
6	0	label with "product code" same "unindentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
7	0	label with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
8	384	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:36
9	1	(label with "product code") and ((unknown or unidentified) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:13
10	1	(label with "product code") and "raw data" same product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:14
11	11	(label with "product code") and (assign$ with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:25
12	8433	(unidentified or unknown) with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
13	0	((unidentified or unknown) with product) and "assign product code" same unidentified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
14	0	((unidentified or unknown) with product) and "assign product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
15	1	((unidentified or unknown) with product) and (assign with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:27
16	5	((unidentified or unknown) with product) and (generat$3 with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:28

L Number	Hits	Search Text	DB	Time stamp
4	0	assign$ with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
5	0	assign$ with "product code" same "unindentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
6	0	label with "product code" same "unindentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
7	0	label with "product code" same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:09
8	384	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:36
9	1	(label with "product code") and ((unknown or unidentified) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:13
10	1	(label with "product code") and "raw data" same product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 11:14
11	11	(label with "product code") and (assign$ with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:25
12	8433	(unidentified or unknown) with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
13	0	((unidentified or unknown) with product) and "assign product code" same unidentified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
14	0	((unidentified or unknown) with product) and "assign product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:26
15	1	((unidentified or unknown) with product) and (assign with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:27
16	5	((unidentified or unknown) with product) and (generat$3 with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/17 12:28
-	2068	(707/104,104.1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 18:23

-	1048	((707/104,104.1).CCLS.) and product$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 10:42
-	186	(((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 10:43
-		((((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))) and ((identif$ and unidentif$) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 10:44
-	95	((((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))) and ((identif$ or unidentif$) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 10:45
-	89	(((((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))) and ((identif$ or unidentif$) with product)) and (compar$ or match$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 10:45
-	87	((((((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))) and ((identif$ or unidentif$) with product)) and (compar$ or match$)) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 11:20
-	26	(((((((707/104,104.1).CCLS.) and product$1) and (product with (code or identifier))) and ((identif$ or unidentif$) with product)) and (compar$ or match$)) and data) and pars$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 11:22
-	33	((707/104,104.1).CCLS.) and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/03 16:11
-	5	(((707/104,104.1).CCLS.) and product$1) and (generating with product with code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 09:59
-	237	(generating with ("product code" or "product data")) and product$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 10:00
-	38	((generating with ("product code" or "product data")) and product$1) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 10:01
-	24	(((generating with ("product code" or "product data")) and product$1) and database) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 10:01
-	13	((((generating with ("product code" or "product data")) and product$1) and database) and identifier) and compar$ and assign$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 10:02
-	57	((generating with ("product code" or "product data")) and product$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 15:54

Handwritten annotation in left margin: 705 28 / 707 109.1 / 102 - 200

-	6	"standardized product data" or "standardized product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 15:19
-	15	"generating product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 15:18
-	1160	database and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 17:31
-	762	(database and "product code") and ((compar$ or receiv$) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 17:33
-	5	((database and "product code") and ((compar$ or receiv$) with data)) and ("unknown products" or "unidentified product")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 17:39
-	235	((database and "product code") and ((compar$ or receiv$) with data)) and (match$ with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/06 17:40
-	52	(((database and "product code") and ((compar$ or receiv$) with data)) and (match$ with data)) and ("product description")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:14
-	184	"standardized code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:17
-	51047	"bar code" or "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:18
-	3	"standardized code" and "raw data"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:18
-	3	("standardized code" and "raw data") and identif$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:20
-	60	"standardized code" and ((product with classif$) or (product with identif$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:27
-	0	("standardized code" and ((product with classif$) or (product with identif$))) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:28
-	3	"confidence measure" same guess	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/10 17:28

-	238	generating with ("product code" or "product data")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 15:20
-	45	(generating with ("product code" or "product data")) and (product with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 15:21
-	34	((generating with ("product code" or "product data")) and (product with database)) and ((receiv$ or input) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 15:22
-	15	(((generating with ("product code" or "product data")) and (product with database)) and ((receiv$ or input) with data)) and ((assign$ or provid$) same (product with code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 16:06
-	942	"product database"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 16:06
-	255	"product database" and ("product code" or "product identifier" or "bar code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 16:07
-	2	(("product database" and ("product code" or "product identifier" or "bar code")) and assign$ and compar$ and receiv$) and ((match$ with product) same ((assign$ with identifier) or (assign$ with "product code")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 16:27
-	51	(("product database" and ("product code" or "product identifier" or "bar code")) and assign$ and compar$ and receiv$) and "product description"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 16:59
-	36	((("product database" and ("product code" or "product identifier" or "bar code")) and assign$ and compar$ and receiv$) and "product description") and match$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/11 17:00
-	143	("product database" and ("product code" or "product identifier" or "bar code")) and assign$ and compar$ and receiv$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 10:48
-	1	(("product database" and ("product code" or "product identifier" or "bar code")) and assign$ and compar$ and receiv$) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 10:57
-	423	"confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 10:57
-	1	("confidence measure" and guess$2) and (generating with guess)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 17:09
-	0	("confidence measure" and guess$2) and (product near match$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:00

-	10	("confidence measure" and guess$2) and similarity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:00
-	31	"confidence measure" and guess$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:28
-	81	generating with guess	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:29
-	1	((generating with guess) and product) and ("confidence measure")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:32
-	28	(generating with guess) and product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	1	(generating with guess) and "confidence measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	0	(generating with guess) and "similarity measure"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/13 11:36
-	6818	"product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	311	"product code" with standard$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	27	("product code" with standard$6) same assign$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 14:23
-	15	(("product code" with standard$6) same assign$5) and (assign$5 with "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:03
-	1033	assign$5 with code with product	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:20
-	567	(assign$5 with code with product) and standard$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:04
-	282	((assign$5 with code with product) and standard$6) and match$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:04

-	33	(((assign$5 with code with product) and standard$6) and match$3) and (raw with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:57
-	7	((((assign$5 with code with product) and standard$6) and match$3) and (raw with data)) and "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:19
-	26	((((assign$5 with code with product) and standard$6) and match$3) and (raw with data)) not (((((assign$5 with code with product) and standard$6) and match$3) and (raw with data)) and "product code")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 15:57
-	274	assign$5 with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:31
-	8	(assign$5 with "product code") and ((unknown or unidentif$3) with products)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:21
-	8	(assign$5 with "product code") and ((unknown or unidentif$3) with product)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:28
-	0	(assign$5 with "product code") same "unknown product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:29
-	0	(assign$5 with "product code") same "unidentified product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:30
-	1	assign$5 with "product code" same ((unknown or unidentif$3) with products)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:30
-	3	assign$5 with "product code" same "known product"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 16:32
-	0	label with "product code"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/16 17:10